



List Pricing

*Prices depend on rates of raw materials and manufacturing cost and are subject to change without notice unless for orders that already have been accepted.
Pricelist januari 2025. All former pricelists hereby are expired.*

User Friendly Loudspeaker Management

Our High Dynamics DSP delivers exceptional sound quality and unmatched control, making it the perfect addition to any audio setup. With electronically balanced in- & outputs and 24-bit/192kHz resolution, this DSP ensures high quality audio with precise delay control up to 1500ms, ideal for live or other professional use.

Featuring 10-band parametric EQs on both input and output channels, multi-type filters, and crossovers, you have full flexibility to shape your sound with precision. Built-in limiters protect your system from overload, ensuring smooth operation.

The intuitive LCD display and remote software provide effortless control, whether on-site or remotely. Ideal for use with our non-DSP power amplifiers, the High Dynamics DSP adds control, protection, and precision to any system.

- high dynamics DSP
- electronically balanced in- & outputs
- 24 bit / 192kHz
- delay up to 1500ms
- parametric eq's 10 in & 10 out each channel
- multi type filters & x-overs
- limiters
- LCD display
- remote software
- mains: 90-260VAC / 50-60Hz



LMS2.4

2 Input / 4 Output

Size(W×H×D): 483×45×235

Weight: 4kgs

List price € 750,- ex. VAT



LMS3.6

3 Input / 6 Output

Size(W×H×D): 483×45×285

Weight: 4kgs

List price € 995,- ex VAT



LMS4.8

4 Input / 8 Output

Size(W×H×D): 483×45×285

Weight: 4kgs

List price € 1.250,- ex VAT

The Power Behind Uninterrupted Sound

If you're looking for ultimate reliability and unmatched performance, our power amplifiers are the perfect choice. Designed and built by a manufacturer that is rooted in the the defense industry, these amplifiers meet the strictest military standards (milspec) and are designed for permanent uptime, day and night. From extreme conditions to heavy loads, these amplifiers are engineered with one goal in mind: to keep working, always.

Next to durability, you will experience crystal-clear audio with extremely low Total Harmonic Distortion (THD) and an ultra-wide frequency response that guarantees accurate sound reproduction from the deepest lows to the highest highs.

With extensive protection against all forms of misuse, including overload, short circuit, and thermal hazards, the amplifiers are built to withstand the toughest conditions. You never have to worry about failures or unexpected breakdowns. Whether you're working in a professional environment, supporting live events, or running critical installations, you can rely on these amplifiers to keep performing, no matter what.



Available with or without built-in DSP, giving you the flexibility to choose the right solution for your application. The integrated DSP provides full control over sound and performance, while the user-friendly and intuitive software makes configuring and adjusting your setup a piece of cake.

- **switching mode power amplifier with very high power to size ratio**
- **active PFC (Power Factor Correction)**
- **1 Ohms stable**
- **temperature-controlled cooling**
- **output overload/short-circuit protection**
- **amplifier output DC protection**
- **clip limiters**
- **mains: 90-260VAC / 50-60Hz**

2-channel

D2.4

8Ω: 2×250W
4Ω: 2×425W
2Ω: 2×725W
4Ω/ Bridge: 1×1450W
Size(W×H×D): 483×44×370
Weight: 9kgs

List price € 495,- ex VAT

D2.9

8Ω: 2×600W
4Ω: 2×900W
2Ω: 2×1500W
4Ω/ Bridge: 1×3000W
Size(W×H×D): 483×44×370
Weight: 9kgs

List price € 695,- ex VAT

D2.12

8Ω: 2×800W
4Ω: 2×1200W
2Ω: 2×2000W
4Ω/ Bridge: 1×4000W
Size(W×H×D): 483×44×370
Weight: 9kgs

List price € 895,- ex VAT



4-channel

D4.9

8Ω/Stereo: 4×600W
4Ω/ Stereo: 4×900W
2Ω/ Stereo: 4×1500W
4Ω/ Bridge: 2×3000W
Size(W×H×D): 483×45×370
Weight: 9kgs

List price € 1.175,- ex VAT



D4.18

8Ω/Stereo: 4×1100W
4Ω/ Stereo: 4×1800W
2Ω/ Stereo: 4×3000W
4Ω/ Bridge: 2×6000W
Size(W×H×D): 483×44×370
Weight: 9kgs

List price € 1895,- ex VAT



D4.25

8Ω/Stereo: 4×1500W
4Ω/ Stereo: 4×2500W
2Ω/ Stereo: 4×4250W
4Ω/ Bridge: 2×8500W
Size(W×H×D): 483×44×465
Weight: 13kgs

List price € 2.195,- ex VAT



D4.35

8Ω/Stereo: 4×2000W
4Ω/ Stereo: 4×3500W
2Ω/ Stereo: 4×5750W
4Ω/ Bridge: 2×11500W
Size(W×H×D): 483×44×465
Weight: 13kgs

List price € 2.450,- ex VAT

- switching mode DSP controlled amplifiers
- high resolution multi-channel DSP & matrix
- remote monitor & control
- color LCD screen
- Hi-Z mode (100V or 70V) on indicated models
- active PFC (Power Factor Correction)
- 1 Ohms stable
- temperature-controlled cooling
- output overload/short-circuit protection
- amplifier output DC protection
- clip limiters
- mains: 90-260VAC / 50-60Hz



2-channel + DSP

DCA2.4

8Ω/Stereo: 2×250W

4Ω/ Stereo: 2×425W

2Ω/ Stereo: 2×725W


4Ω/ Bridge: 1×1450W

Size(W×H×D): 483×45×370

Weight: 9kgs

List price € 995,- ex VAT





4-channel + DSP

DCA4.9

8Ω/Stereo: 4×600W
4Ω/Stereo: 4×900W
2Ω/Stereo: 4×1500W
4Ω/Bridge: 2×3000W
Size(W×H×D): 483×45×370
Weight: 9kgs

List price € 1.650,- ex VAT



DCA4.18

8Ω/Stereo: 4×1100W
4Ω/Stereo: 4×1800W
2Ω/Stereo: 4×3000W
4Ω/Bridge: 2×6000W
Size(W×H×D): 483×45×370
Weight: 9kgs

List price € 2.295,- ex VAT



DCA4.25

8Ω/Stereo: 4×1500W
4Ω/Stereo: 4×2500W
2Ω/Stereo: 4×4250W
4Ω/Bridge: 2×8500W
100V Hi-Z: 4×2500W
Size(W×H×D): 483×45×465
Weight: 13kgs

List price € 2.750,- ex VAT



DCA4.35

8Ω/Stereo: 4×2000W
4Ω/Stereo: 4×3500W
2Ω/Stereo: 4×5750W
4Ω/Bridge: 2×11500W
Size(W×H×D): 483×45×465
Weight: 13kgs




List price € 3.250,- ex VAT

High-Quality PA Speakers


For rental companies and installers seeking both quality and reliability, Pro-Supplies offers a wide range of professional PA speakers. Designed for touring and permanent installations, our speakers deliver impressive sound, no matter the application.

Our speakers are known for their crystal-clear sound and powerful performance. With a wide frequency range and precise audio reproduction, they are perfect for live performances, events, and permanent installations in venues like theaters and concert halls.


No matter what, our speakers are built to withstand the toughest conditions. They are lightweight, easy to transport and install, and come with a variety of accessories to make setup quick and efficient.





MP12-FC2 case € 350,00 List ex VAT
(see also BLCK-cases in this pricelist)



TP10-FC2 case € 340,00 List ex VAT
(see BLCK-cases in this pricelist)



TP10-SC
soft cover
€ 79,-
List ex VAT



MP12

12"/1.5" multifunctional

filter	passive
power handling AES	400W
program power	900W
impedance	8 Ohms
sensitivity	96dB 1W 1m
program SPL	120 dB 1m
peak SPL	126 dB
frequency response	60-20.000 Hz
dispersion	80°conical
connectors	Speakon4 in + link
weight	17kg
size (wxhxd)	500 x 360 x 310 mm


List price € 995,- ex VAT

TP10

10"/1.45" PA-loudspeaker

filter	passive
power handling AES	300W
program power	700W
impedance	8 Ohms
sensitivity	96dB 1W 1m
program SPL	124 dB 1m
peak SPL	130 dB 1m
frequency response	60-20.000 Hz
dispersion	90°x60° hxv
connectors	Speakon4 in + link
weight	16.8 kg
size (wxhxd)	325 x 535 x 340 mm


List price € 670,- ex VAT



TP12
12"/1.75" PA-loudspeaker

filter passive
power handling AES 400W
program power 900W
impedance 8 Ohms
sensitivity 97dB 1W 1m
program SPL 127 dB 1m
peak SPL 133 dB 1m
frequency response 58-20.000 Hz
dispersion 90°x 50° hxv
connectors Speakon4 in + link
weight 21.1 kg
size (wxhxd) 375 x 580 x 420 mm


List price € 790,- ex VAT



TP15
15"/2.5" PA loudspeaker

filter passive
power handling AES 550W
program power 1100W
impedance 8 Ohms
sensitivity 97dB 1W 1m
program SPL 128 dB 1m
peak SPL 134 dB 1m
frequency response 50-20.000 Hz
dispersion 80°x 50° hxv
connectors Speakon4 in + link
weight 24.5 kg
size (wxhxd) 435 x 720 x 420 mm


List price € 950,- ex VAT



SW12
12" basreflex subwoofer

filter none
power handling AES 500W
program power 800W
impedance 8 Ohms
sensitivity 95dB 1W 1m
program SPL 123 dB 1m
peak SPL 129 dB 1m
frequency response 45-250 Hz
dispersion omni
connectors Speakon4 in + link
weight 26 kg
size (wxhxd) 450 x 425 x 480 mm

List price € 599,- ex VAT



SW15

15" basreflex subwoofer

power handling AES	700W
program power	1000W
impedance	8 Ohms
sensitivity	97dB 1W 1m
program SPL	127 dB 1m
peak SPL	133 dB 1m
frequency response	42-200 Hz
dispersion	omni
connectors	Speakon4 in + link 4x wheel fitting on the back
weight	32.5 kg
size (wxhxd)	660 x 480 x 600 mm

List price € 699,- ex VAT




SA3810

very heavy duty adapter

Stand adapter
38mm to M10

**List price € 9,90
ex VAT**



SW18

18" basreflex subwoofer

power handling AES	1000W
program power	1800W
impedance	8 Ohms
sensitivity	98dB 1W 1m
program SPL	131 dB 1m
peak SPL	137 dB 1m
frequency response	40-200 Hz
dispersion	omni
connectors	Speakon4 in + link 4x wheel fitting on the back
weight	49.5 kg
size (wxhxd)	720 x 546 x 615 mm

List price € 950,- ex VAT



UCA2:

USB-C to High Quality Audio Left Right XLR

Mac / PC / Android
Plug & Play / no drivers needed
built in 32Bit/384kHz audio-chip
cable length 2m

List price € 29,- ex VAT



Small Speaker, Big Impact

The AudioBasics iP6 redefines what compact speakers can do, delivering a surprisingly powerful and deep bass response thanks to its innovative rear passive radiator. This feature allows the iP6 to produce exceptional low-frequency depth and punch—all from a compact enclosure.

Engineered to be as durable as it is impressive, the iP6 speaker boasts an IP66 rating, making it resilient to dust and water exposure. This versatility means it can perform equally well indoors or outdoors, withstanding various environmental conditions without compromising sound quality.

The iP6 is a passive speaker with an onboard 100V transformer, allowing for different power taps to be selected based on your setup. The speaker can also be connected directly in a low-impedance setup.

Choose from classic black or white finishes to complement any aesthetic, indoors or outdoors.

The AudioBasics iP6 6.5"/1" fixed installation speaker combines compact design, flexibility, and robust performance, delivering exceptional sound quality whether mounted in your living room, on a terrace, or poolside.

iP6

**6.5"/1"+ passive radiator
all-weather / install / IP66**

filter	passive
power handling	120W
100V	5W-10W-20W-40W
impedance	8 Ohms
sensitivity	89dB 1W 1m
program SPL	106 dB 1m
peak SPL	112 dB 1m
frequency response	45-20.000Hz +/-3dB
dispersion	80°conical
connectors	Phoenix in + link
weight	3.25kg
size (wxhxd)	195 x 200 x 285 mm

**List price per pair (2 pcs)
€ 449,- ex VAT**



UCA1: USB-C to High Quality Audio Left Right CINCH (RCA)

Mac/PC/Android
Plug & Play / no drivers needed
built in 32Bit/384kHz audio-chip
cable length 2m

List price € 29,- ex VAT



Pro Supplies -as the name suggests-, supplies high-quality cabling, both pre-made and bulk, with only top brand connectors such as Neutrik and PA-Com. The cable has been developed by order of pro-supplies itself and is supplied exclusively by pro-supplies under the brand name BLCK-cable.

XLR MICROPHONE CABLE



stock product

Mic cable PVC jacket	ordercode	cable length (m)	list price ex. VAT
Rean connectors	MVR00.5	0,5	€ 6,02
2x0.22mm ²	MVR01.0	1	€ 6,55
braided + foil shield	MVR02.5	2,5	€ 8,15
6mm PVC outer jacket	MVR05.0	5	€ 10,81
REAN RC3x connectors	MVR10.0	10	€ 16,14
mobile outdoor/Indoor use	MVR15.0	15	€ 21,46
	MVR20.0	20	€ 26,79



Rean RC3: IP65-rated



order product

Mic cable PVC jacket	ordercode	cable length (m)	list price ex. VAT
Neutrik connectors	MVN00.5	0,5	€ 18,58
2x0.22mm ²	MVN01.0	1	€ 19,12
braided shield	MVN02.5	2,5	€ 20,71
teflon insulation	MVN05.0	5	€ 23,38
5.8mm PVC outer jacket	MVN10.0	10	€ 28,70
Neutrik NC3xx connectors	MVN15.0	15	€ 34,03
mobile outdoor/Indoor use	MVN20.0	20	€ 39,35



Neutrik NC3xxx-bag



order product

Mic cable PUR jacket	ordercode	cable length (m)	list price ex. VAT
Neutrik connectors	MUN00.5	0,5	€ 19,01
2x0.22mm ²	MUN01.0	1	€ 19,97
braided shield	MUN02.5	2,5	€ 22,84
teflon insulation	MUN05.0	5	€ 27,63
5.8mm PUR outer jacket	MUN10.0	10	€ 37,22
Neutrik NC3xx connectors	MUN15.0	15	€ 46,80
heavy duty use	MUN20.0	20	€ 56,38





SPEAKER CABLE SPEAKON 4



order product	ordercode	cable length (m)	list price ex. VAT
4x2.5mm² PVC cable			
Neutrik connectors	LV42501	1	€ 23,87
11mm PVC outer jacket	LV42502.5	2,5	€ 30,33
Neutrik NL4Fxx connectors	LV42505	5	€ 41,11
mobile outdoor/Indoor use	LV42510	10	€ 62,67
label shrinking tubes	LV42515	15	€ 84,22
	LV42520	20	€ 105,78
	LV42525	25	€ 127,34



order product	ordercode	cable length (m)	list price ex. VAT
4x4.0mm² PVC cable			
Neutrik connectors	LV44001	1	€ 26,16
13mm PVC outer jacket	LV44002.5	2,5	€ 36,06
Neutrik NL4Fxx connectors	LV44005	5	€ 52,56
mobile outdoor/Indoor use	LV44010	10	€ 85,56
label shrinking tubes	LV44015	15	€ 118,57
	LV44020	20	€ 151,57
	LV44025	25	€ 184,58




order product	ordercode	cable length (m)	list price ex. VAT
4x4.0mm² PUR cable			
13mm PUR outer jacket	LU44001	1	€ 27,87
Neutrik NL4Fxx connectors	LU44002.5	2,5	€ 40,33
heavy duty use	LU44005	5	€ 61,10
label shrinking tubes	LU44010	10	€ 102,65
	LU44015	15	€ 144,20
	LU44020	20	€ 185,75
	LU44025	25	€ 227,30






SPEAKER CABLE SPEAKON 8



order product **NEUTRIK**

8x4.0mm ² PVC cable NEUTRIK connectors 16mm PVC outer jacket Neutrik NL8TFX connectors mobile outdoor/Indoor use label shrinking tubes	ordercode	cable length (m)	list price ex. VAT
	LVM84001	1	€ 97,25
	LVM84002.5	2,5	€ 118,39
	LVM84005	5	€ 153,62
	LVM84010	10	€ 224,08
	LVM84015	15	€ 294,54
	LVM84020	20	€ 365,00
	LVM84025	25	€ 435,46



order product **NEUTRIK**

8x4.0mm ² PUR cable NEUTRIK connectors 16mm PUR outer jacket Neutrik NLT8FX connectors heavy duty use label shrinking tubes	ordercode	cable length (m)	list price ex. VAT
	LUM84001	1	€ 100,57
	LUM84002.5	2,5	€ 126,68
	LUM84005	5	€ 170,21
	LUM84010	10	€ 257,26
	LUM84015	15	€ 344,32
	LUM84020	20	€ 431,37
	LUM84025	25	€ 518,42





BULK CABLE SIGNAL



order			
PVC mic cable	ordercode	cable length (m)	list price ex. VAT
2-core 0.22mm ² braided shield, outer diameter 6mm, insulated with Teflon, OFC oxygen free copper conductor	MV100	100	€ 124,25

order			
PUR mic cable	ordercode	cable length (m)	list price ex. VAT
2-core 0.22mm ² braided shield, outer diameter 5.8mm, insulated with Teflon, OFC oxygen free copper conductor	MU100	100	€ 191,65

order			
PVC AES cable	ordercode	cable length (m)	list price ex. VAT
2-core 0.34mm ² braided shield, outer diameter 6,5mm, insulated with Teflon, OFC oxygen free copper conductor	AV100	100	€ 157,35



order			
CAT6 mobile cable	ordercode	cable length (m)	list price ex. VAT
4x2xAWG, 26, 8-core 7/0.16 copper, double-layer shielding, OD 6.5mm, insulated with PE, PVC version for Class 6 network cable	C6P100	100	€ 126,96

BULK CABLE SPEAKER



stock			
Speaker PVC cable	ordercode	cable length (m)	list price ex. VAT
OFC oxygen free copper, 70 ° PVC flame retardant insulation, mobile & installation			
2x2,5mm ² / outer diameter 9mm	LV225100	100	€ 253,92
2x4.0mm ² / outer diameter 10,6mm	LV240100	100	€ 367,65
4x2.5mm ² / outer diameter 11mm	LV425100	100	€ 431,13
4x4.0mm ² / outer diameter 13mm	LV440100	100	€ 660,08
8x2.5mm ² / outer diameter 15mm	LV825100	100	€ 965,75
8x4.0mm ² / outer diameter 16mm	LV840100	100	€ 1.409,21



order			
Speaker PUR cable	ordercode	cable length (m)	list price ex. VAT
OFC oxygen free copper, 105 ° PVC flame retardant insulation, PUR outer jacket, heavy duty			
2x2,5mm ² / outer diameter 9mm	LU225100	100	€ 336,66
2x4.0mm ² / outer diameter 10,6mm	LU240100	100	€ 489,19
4x2.5mm ² / outer diameter 11mm	LU425100	100	€ 557,49
4x4.0mm ² / outer diameter 13mm	LU440100	100	€ 830,97
8x2.5mm ² / outer diameter 15mm	LU825100	100	€ 1.183,27
8x4.0mm ² / outer diameter 16mm	LU840100	100	€ 1.741,06






**High Quality Flight Cases;
Versatile - Durable - Adjustable - Truck Sized**


Good things don't always come with high prices; BLCK-CASES flightcases offer high quality solutions for safe and efficient transport of your valuable equipment for realistic prices. With a range of basic models, we probably have the perfect case for your every day applications.

Truck Size, superstrong phenolic layered 12mm plywood & Penn-Elcom hardware: designed for heavy-duty use by rental companies and professionals who deal with frequent transport and setup.

For owners of our AudioBasics TP and MP series loudspeakers, we offer flight cases specifically tailored to their dimensions. These cases ensure safe transport and storage for your AudioBasics cabinets.



RACK-FC8



RACK-FC10

19" Touring Racks

**RACK-FC8
8U Slam Door 19" Rack Case**


- Internal 19" anti-shock frame
- Adjustable front and rear rackstrips, 20cm travel each
- 4x 100mm Castors/ 2 with brakes
- Rack Size (W×H×D): 19"x8Ux45cm
- Case Size(W×H×D): 60×49×70
- Hexagon-patterned phenolic layered plywood 12mm
- Penn Elcom hardware
- Stackable

List price € 495,- ex VAT

**RACK-FC10
10U Slam Door 19" Rack Case**

- Internal 19" anti-shock frame
- Adjustable front and rear rackstrips, 20cm travel each
- 4x 100mm Castors/ 2 with brakes
- Rack Size (W×H×D): 19"x10Ux45cm
- Case Size(W×H×D): 60×58×70
- Hexagon-patterned phenolic layered plywood 12mm
- Penn Elcom hardware
- Stackable

List price € 545,- ex VAT



RACK-FC12
590*67*70mm

19" Touring Racks

RACK-FC12

12U Slam Door 19" Rack Case

- Internal 19" anti-shock frame
- Adjustable front and rear rackstrips, 20cm travel each
- 4x 100mm Castors/ 2 with brakes
- Rack Size (W×H×D): 19"×12U×45cm
- Case Size(W×H×D): 60×67×70
- Hexagon-patterned phenolic layered plywood 12mm
- Penn Elcom hardware
- Stackable

List price € 595,- ex VAT


Truck Cases

FC-TRUCK-60

Truck Sized universal flight case

- Truck sized universal flight case 60x60x60cm
- 2x Adjustable separation panel, crossable
- 4x 100mm Castors/ 2 with brakes
- Hexagon-patterned phenolic layered plywood 12mm
- Penn Elcom hardware
- Stackable

List price €425,- ex VAT




FC TRUCK 60-CASE
580*580*580mm

FC-TRUCK-60-T


Truck Sized universal flight case with tray

- Truck sized universal flight case 60x60x60cm
- 2x Adjustable separation panel, crossable
- 1x Removable tray
- 4x 100mm Castors/ 2 with brakes
- Hexagon-patterned phenolic layered plywood 12mm
- Penn Elcom hardware
- Stackable

List price €450,- ex VAT



FC TRUCK 60T
580*580*580mm



Truck Cases

FC-TRUCK-120

Truck Sized universal flight case

- Truck sized universal flight case 1200x60x60cm
- 5x Adjustable separation panel, crossable
- 4x 100mm Castors/ 2 with brakes
- Hexagon-patterned phenolic layered plywood 12mm
- Penn Elcom hardware
- Stackable



List price €625,- ex VAT

FC-TRUCK-120-T


Truck Sized universal flight case with trays

- Truck sized universal flight case 120x60x60cm
- 6x Adjustable separation panel, crossable
- 2x Removable tray
- 4x 100mm Castors/ 2 with brakes
- Hexagon-patterned phenolic layered plywood 12mm
- Penn Elcom hardware
- Stackable

List price €675,- ex VAT



Cases for AudioBasics speakers




MP12 CASE
698*444*559mm

MP12-FC2

Flight case for 2pcs of MP12 multifunctional

- Size (WxHxD) 70x57x45cm
- 4x 100mm Castors/ 2 with brakes
- Hexagon-patterned phenolic layered plywood 12mm
- Penn Elcom hardware

List price €350,- ex VAT



TP10-FC2

TP10-FC2

Flight case for 2pcs of TP10 loudspeaker

- Size (WxHxD) 80x61x52cm
- 4x 100mm Castors/ 2 with brakes
- Hexagon-patterned phenolic layered plywood 12mm
- Penn Elcom hardware


List price €340,- ex VAT



Cases for AudioBasics speakers

TP12-FC2

1060*445*655mm



TP12-FC2

Flight case for 2pcs of TP12

- Size (WxHxD) 106x66x46cm
- 4x 100mm Castors/ 2 with brakes
- Hexagon-patterned phenolic layered plywood 12mm
- Penn Elcom hardware

List price €360,- ex VAT



